



UltraClear Water

2833 Maple Creek Dr
Ft Worth, TX 76177

Invoice

Date	Invoice #
11/29/2010	INV101129 - 759

Bill To
Chick-fil-A, Inc Phillip Legg 5200 Buffington Rd Atlanta, GA 30349

Ship To
Chick-fil-A 898DTO 5651 Sherwood Way San Angelo, TX 76904

P.O. No.	Terms	Due Date	Ship Date	Ship Via	FOB
	Due on receipt	11/29/2010	11/19/2010	Service Truck	Fort Worth

Description	Qty	Rate	Serviced	Amount
Grundfos MQ3-45-1 Booster Pump List \$1092.35	1	688.18	11/19/2010	688.18T
PVC 300 psi Housing 2540 List \$250	2	135.00	11/19/2010	270.00T
NF902540 Nano Filter List \$375.00	2	234.00	11/19/2010	468.00T
20" x 1" BigBlue Filter Housing w/Bracket List \$135.00	1	68.00	11/19/2010	68.00T
CFBPlus-20BB 5 micron Fiberdyne Carbon Block List \$114.00	1	65.00	11/19/2010	65.00T
Plumbing fittings including Pressure Regulator	1	390.00	11/19/2010	390.00T
Labor	10	100.00	11/19/2010	1,000.00T
Hotel Room 2 nights @ 135.00 per Night	2	135.00	11/19/2010	270.00T
Removed water softener, Everpure RO membranes, and Everpure MRS Booster Pump. Installed New Booster pump with inlet Pressure Regulator to prevent booster pump from over pressurizing. Installed NanoFilter membranes and housings. Set NanoFilters and Blending on system. Feed TDS 1125 ppm, Product TDS 60 ppm, Blended Product 350 ppm. Blended Product 2300 ml/min; 73 gallons per hour.				

Subtotal	\$3,219.18
Sales Tax (0.0%)	\$0.00
Total	\$3,219.18
Balance Due	\$3,219.18

Phone #	Fax #	E-mail	Web Site
817-491-9040	817-491-7133	SBerry@UltraClearWater.com	www.UltraClearWater.com



Water Filter
100000 Gallons
1/2" x 3/4" x 1/2"

F12

F13

UltraClear Water
RO UltraTrac
NF4-1670
6W 5083YM
2012 Model, USA, 100 GPD
FL Mount, TA 78177
http://www.ultimatewater.com

NUKNEPLEX
F-113-01NSTus-Pw-U.F. Code-FEASub-rh5TM



MODEL CB20-121E WATER FILTRATION SYSTEM
FOR USE WITH THE COLE REPLACEMENT CARTRIDGE
EVERPURE
WATER YOU CAN TRUST.
2375 Sanders Road, Northbrook, IL 60062
(847) 295-8000 • Fax (847) 295-8000
www.everpure.com
NSF
NSF International has tested and certified this product to NSF International Standard 42 for the removal of lead and Standard 53 for the reduction of chlorine taste and odor. Chlorine, lead and other contaminants are not removed.
Pressure: 20 - 100 psi (1.4 - 6.9 bar)
Temperature: 55 - 100°F (13 - 38°C)
Flow Rate: 8.0 gpm (3.0 Lpm)
PIN EVR100-01
0413 148223





MODEL CB20-124E WATER FILTRATION SYSTEM
FOR USE WITH THE CC1E REPLACEMENT CARTRIDGE

CH

BOOSTER PUMP



512-1-11-(LOT#610395) CLAMP#18.5

ELDM SWITCH INSTE-ALICE 211A-077 #211A-079 #211A-071



UltraClear Water
RO Ultra-Tec
NF4-2540
SN 5240518

inlet
Norm
C



UltraClear Water
RO Ultra-Tec
NF4-2540
SN 5240518

Outlet
Norm
C

ML

Osmosis
roller

